

Table 1: The positive intradermal cross-sensitivity testing results.

Index NMBA	(Events)	Negative skin test for index agent	No cross-reactivity	Cross reactivity; n(%)					
				Suxamethonium	Rocuronium	Atracurium	Vecuronium	Mivacurium	Pancuronium
Suxamethonium	143	9 (6.29)	94 (65.73)	134 (93.71%)	27 (18.88)	9 (6.29)	10 (6.99)	10 (6.99)	6 (4.20)
Rocuronium	242	17 (7.02)	79 (32.64)	107 (44.21%)	225 (92.98)	15 (6.20)	68 (28.10)	10 (4.13)	49 (20.25)
Atracurium	42	4 (9.52)	18 (42.86)	7 (16.67%)	9 (21.43)	38 (90.48)	2 (4.76)	17 (40.48)	0 (0)
Vecuronium	17	0 (0)	3 (17.65)	5 (29.41)	7 (41.18)	3 (17.65)	17 (100)	4 (23.53)	8 (47.06)
Mivacurium	7	2 (28.57)	1 (14.29)	1 (14.29%)	1 (14.29)	5 (71.43)	1 (14.29)	5 (71.43)	1 (14.29)
Pancuronium	3	0 (0)	1 (33.33)	1 (33.3%)	1 (33.33)	0 (0)	0 (0)	1 (33.33)	3 (100)
Total	454	32	196	255	270	70	98	47	67

