

**Table 1:** Baseline characteristics of the 478 patients.

Demographic		n (%)
Age	≤70	256 (54%)
	>70	211 (44%)
	Anonymous	11 (2%)
Sex	Female	150 (31%)
	Male	317 (66%)
	Anonymous	11 (2%)
Deprivation index	Upper tertile (1-3)	171 (36%)
	Mid tertile (4-6)	187 (39%)
	Low tertile (7-10)	105 (22%)
	Anonymous or data not available	15 (3%)
Ethnicity	Asian	47 (10%)
	Māori/Pasifika	70 (15%)
	Pākehā/European	349 (73%)
	Anonymous or data not available	12 (3%)

**Table 2:** Total questionnaire score.


Demographic		Mean ± std deviation
Total		3.4±1.4 (range 0-5)
Age	≤70	3.6±1.4
	>70	3.2±1.5
	Anonymous	3.4±1.6
Sex	Female	3.3±1.4
	Male	3.5±1.4
	Anonymous	3.4±1.6
Deprivation index	Upper tertile (1-3)	3.5±1.4
	Mid tertile (4-6)	3.4±1.4
	Low tertile (7-10)	3.3±1.5
	Anonymous	3.3±1.8

**Table 2 (continued):** Total questionnaire score.

Ethnicity	Asian	2.6±1.7*
	Māori/Pasifika	3.2±1.4
	Pākehā/European	3.6±1.4*
	Anonymous	3.3±1.6


\*ANOVA with Bonferroni correction,  $p < 0.001$

**Figure 1:** Overall questionnaire score by ethnicity.




\* Asians scored less than Pākehā/European,  $p < 0.001$ .

**Figure 2:** Socio-economic deprivation decile by ethnicity.



Differences not significant.

**Figure 3:** Percentage of correct answers to questions.



\*Percent correct for question three was less than for the other questions,  $p < 0.001$ .