

Appendix Table 1: All cancer diagnoses and deaths (all-cause) by 10-year diagnosis period.

Ethnicity	1998–2007 cancer diagnoses					2008–2017 cancer diagnoses				
	N Diagnosed	5-year deaths	3-year deaths	2-year deaths	1-year deaths	N Diagnosed	5-year deaths	3-year deaths	2-year deaths	1-year deaths
All	170,625	79,776	68,190	59,793	46,254	199,893	83,634	71,292	62,391	47,448
Pacific	5,571	2,709	2,427	2,208	1,773	9,453	4,002	3,522	3,108	2,349
Samoaan	2,499	1,254	1,122	1,023	831	4,155	1,722	1,515	1,332	1,008
Cook Islands Māori	1,095	522	459	414	327	1,842	813	711	627	489
Tongan	996	507	471	432	357	1,755	816	738	651	498
Niuean	408	219	201	177	147	612	297	264	231	174
Tokelauan	108	57	48	42	27	204	99	84	72	51
Fijian	492	183	156	144	111	1,005	306	252	216	150
Other Pacific	504	234	216	189	153	759	297	255	228	183
Realm	1,593	795	702	630	498	2,613	1,194	1,047	924	705

Random rounding to base 3 has been applied to all values in this table.

Appendix Table 2: One-to-5-year all-cause mortality rates for any diagnosed cancer from 1998 to 2017 after removing individuals who left the country during the follow-up period without record of return or death.

Ethnicity	Individuals diagnosed	5-year mortality rate (proportion, 95% CI)	3-year mortality rate (proportion, 95% CI)	2-year mortality rate (proportion, 95% CI)	1-year mortality rate (proportion, 95% CI)
All	366,708	44.6 (44.4–44.7)	38.0 (37.8–38.1)	33.2 (33.0–33.4)	25.4 (25.3–25.6)
Pacific	14,454	46.4 (45.6–47.2)	40.9 (40.1–41.7)	36.4 (35.6–37.1)	28.0 (27.3–28.8)
Samoaan	6,387	46.6 (45.4–47.8)	41.0 (39.8–42.2)	36.5 (35.3–37.7)	28.3 (27.2–29.4)
Cook Islands Māori	2,826	47.1 (45.3–49.0)	40.9 (39.1–42.8)	36.4 (34.6–38.2)	28.2 (26.5–29.9)
Tongan	2,652	49.8 (47.9–51.7)	45.4 (43.5–47.3)	40.4 (38.5–42.2)	31.8 (30.0–33.5)
Niuean	1,002	51.5 (48.4–54.6)	46.4 (43.3–49.5)	40.6 (37.6–43.6)	31.8 (29.0–34.7)
Tokelauan	294	52.0 (46.3–57.8)	44.0 (38.3–49.7)	38.4 (32.8–43.9)	26.0 (21.0–31.0)
Fijian	1,431	34.0 (31.5–36.4)	28.3 (25.9–30.6)	24.8 (22.6–27.0)	17.8 (15.8–19.7)
Other Pacific	1,227	43.5 (40.7–46.3)	38.0 (35.2–40.7)	33.4 (30.8–36.1)	26.7 (24.3–29.2)
Realm	4,068	48.9 (47.4–50.4)	42.8 (41.3–44.3)	37.8 (36.3–39.3)	29.1 (27.7–30.5)

Random rounding to base 3 has been applied to all values in this table.
95% CI = 95% confidence interval.

Appendix Table 3: Stomach cancer diagnoses and deaths (all-cause) by 10-year diagnosis period.

Ethnicity	1998–2007 gastric cancer diagnoses					2008–2017 gastric cancer diagnoses				
	N Diagnosed	5-year deaths	3-year deaths	2-year deaths	1-year deaths	N Diagnosed	5-year deaths	3-year deaths	2-year deaths	1-year deaths
All	3,816	3,105	2,943	2,763	2,313	3,867	3,027	2,832	2,589	2,052
Pacific	267	198	186	174	147	372	264	246	219	171
Samoaan	147	111	108	99	81	189	129	123	108	84
Cook Islands Māori	36	24	24	24	21	51	39	36	33	24
Tongan	39	30	27	24	21	78	57	54	51	42
Niuean	33	18	18	18	15	33	24	18	15	12
Tokelauan	S	S	S	S	S	9	S	S	S	S
Fijian	9	9	9	9	6	21	15	15	12	9
Other Pacific	15	15	15	12	12	24	18	15	12	12
Realm	69	45	45	45	39	87	66	60	51	36

Random rounding to base 3 has been applied to all values in this table.

S = suppressed data due to counts under 6, in accordance with Stats NZ confidentiality requirements.